

**Questa Middle School Youth Substance Abuse Summary Report
Youth Risk and Resiliency Survey – DFC Core Measures
Years 2015 - 2019**

CURRENT USE (past 30 days)	2015*	2017	2019
At least one drink of alcohol		16.7%	16.4%
Smoke cigarettes		1.5%	3.6%
Tobacco use, and of the 5 forms of use			24.1%
Use marijuana		13.6%	9.1%
Use a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) not prescribed to you		3.1%	7.3%
PERCEPTIONS OF RISK	2015*	2017	2019
Moderate or great risk if people “take one or two drinks of an alcoholic beverage nearly every day”		67.7%	
Moderate or great risk when people “have five or more drinks of an alcoholic beverage once or twice a week”		82.2%	78.2%
Moderate or great risk if people “smoke one or more packs of cigarettes per day”		75.9%	81.8%
Moderate or great risk if people “smoke marijuana once or twice a week”		52.5%	66.0%
Moderate or great risk if people “use a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall Ritalin, or Xanax) not prescribed to you		85.5%	77.4%
PERCEPTION OF PARENTAL DISAPPROVAL	2015*	2017	2019
Wrong or very wrong for you to have one or two drinks of an alcoholic beverage nearly every day?		92.0%	90.9%
Wrong or very wrong for you to smoke cigarettes?		98.4%	96.4%
Wrong or very wrong for you to smoke marijuana?		91.9%	83.6%
Wrong or very wrong for you to use prescription drugs (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) not prescribed to you?		95.1%	90.9%

Responses of Questa Middle School Students Grades 6-8 total

**Questa Middle School Youth Substance Abuse Summary Report
Youth Risk and Resiliency Survey – DFC Core Measures
Years 2015 - 2019**

PERCEPTION OF PEER DISAPPROVAL	2015*	2017	2019
Wrong or very wrong for you to have one or two drinks of an alcoholic beverage nearly every day?		89.8%	67.9%
Wrong or very wrong for you to smoke cigarettes?		86.4%	75.9%
Wrong or very wrong for you to smoke marijuana?		70.7%	62.3%
Wrong or very wrong for you to use prescription drugs (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) not prescribed to you?		94.9%	79.2%
ATTITUDE TOWARD PEER USE	2015*	2017	2019
Somewhat or strongly disapprove of someone your age having one or two drinks of an alcoholic beverage nearly every day?		68.9%	68.5%

The above table displays the Core Measures that each Drug-Free Communities coalition is required to collect biannually.

*2015 figures not available